

UNIVERSITY of HOUSTON

INTERIOR SIGN PROGRAM

DESIGN GUIDELINES

Update v.7 02.15.2021

Creation Dates v.1 01.14.14 v.2 10.31.17 v.3 01.15.18
v.4 05.07.19 v.5 10.22.19 v.6 06.05.20

SIGN INDEX

WAYFINDING SIGNAGE GUIDELINES

Sheet #	Type	Description
00	-	General Information
01	A	Room ID Plaque - Flexible and with sheet clip option
02	B	Room ID Plaque - Permanent
03	C	Room Numbering Plaque
	D	Clear View Sheet Holder - Vertical
04	E	Restroom Plaque
	E1	Sharps Disposal Plaque
	E2	All Gender Restroom
	E3	Mothers Room
05	E4	Classroom Information Plaque
06	M	Restroom Wayfinding Flag Sign
	M1	AED Wayfinding Flag Sign
	M2	Fire Extinguisher Flag Sign
07	G	Elevator Egress Plaque
08	H	Egress Plaque
09	F	Stairwell Plaque-stairwell side 2 stories or less
	O	Stairwell ID Plaque-occupant side
	P	Maximum Occupancy Plaque
10	F1	Stairwell Plaque-stairwell side 3 or more stories
11	I	Type I Directory (Building)
12	J	Directory (Department)
13	L	Wayfinding Panel (Suspended)
14	K	Miscellaneous Vinyl
15	N	LEED Certification Plaque

PUBLIC ART SIGNAGE GUIDELINES

Sheet #	Type	Description
15	PA1	Public Art Plaque - Acrylic
	PA2	Public Art Plaque - Stainless Steel

DONOR SIGNAGE GUIDELINES

Sheet #	Type	Description
16	-	Donor Recognition Sign Family
17	R1	Recognition Plaque - Level 1
18	R2	Recognition Plaque - Level 2
	R2	Recognition Cut Letters - Level 2
19	R3	Tribute and Recognition Plaques
20	R4	Donor Wall - Standard
21	R5	Donor Wall - Custom

UH Interior Sign Program V.6

UPDATES IN v.6

Global

Title blocks update
Drawing Set reorganized and sheet numbering updated
Thermoform acrylic added to material specifications
UH logo lockup updated

Cover Sheet updated

Sheet 00

New sign types added to Index
New project symbols added to library
Project colors and materials updated
Sign index update
General notes edited

Sheet 01

Fabrication notes updated
Plaque thickness adjusted

Sheet 02

Fabrication notes updated
Plaque thickness adjusted

Sheet 03

Fabrication notes updated
Type C dimensions updated
Installation configurations expanded

Sheet 04

Fabrication notes updated
Type E1 Sharps Disposal fabrication detailed

Sheet 05

Fabrication notes updated
Type E3 General Purpose Classroom plaque detailed

Sheet 06

Fabrication notes updated
Type M1 AED Flag and M2 Fire Extinguisher Flag added

Sheet 07

Fabrication notes updated

Sheet 08

Fabrication notes updated

Sheet 09

Fabrication notes updated
Type F Stairwell and P Occupancy updated and added

Sheet 10

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 11

Fabrication notes updated
Type F1 Stairwell plaque added

Sheet 12

Fabrication notes updated

Sheet 13

Fabrication notes updated

Sheet 14

Fabrication notes updated

UH Interior Sign Program V.7

UPDATES IN v.7

Global

Title blocks update
Verified and adjusted dimensions
Fabrication Notes revised for clarity

Cover Sheet updated

Sheet 00

Updated General Notes

Sheet 04

Added Note: Provide Sharps signs on the first floor of every building at each public Men's restroom, each public Women's restroom, and each public All Gender restroom.

Sheet 05

Added Note: Provide Need Assistance signs at general purpose classrooms controlled and scheduled by the University Registrar and also at classrooms controlled by individual colleges or departments. For classrooms controlled by colleges and departments, consult with the UH Project Manager to obtain the correct Technology phone number, which will be different from the number for general purpose classrooms.

Added Note: Provide Type D sheet holders only at classrooms with moveable furniture.

Sheet 06

Added Note: Provide M2 flag signs in close proximity to fire extinguishers located (1) on the normal path of exit travel in public hallways and (2) in laboratories and workshops. M2 flag signs are generally not necessary in electrical and other rooms.

Sheet 10

Updated Note

Sheet 15

Added LEED Certification Plaque
Added Public Art Plaques (PA Series)

Sheets 16 - 21

Incorporated Interior Donor Signage (R Series)

ISSUE	DATE
-------	------

REFERENCE SET	02.15.2021
---------------	------------

GENERAL NOTES FOR FABRICATION AND INSTALLATION

THESE DRAWINGS REPRESENT DESIGN INTENT ONLY AND INDICATE THE GRAPHIC DESIGNER'S INTENTIONS FOR PRODUCT SIZES, MATERIALS, FINISHES, AND INSTALLATION. THE CONTRACTOR IS REQUIRED TO PROVIDE SHOP DRAWINGS AND DETAILS FOR EACH SIGN TYPE AND, WHERE NECESSARY, TO PROVIDE DETAILED DRAWINGS STAMPED BY A LICENSED ENGINEER. SHOP DRAWINGS MUST BE APPROVED BY OWNER, ARCHITECT AND designLAB BEFORE FABRICATION.

- Written dimensions on these drawings have precedence over scaled dimensions. Notify Owner and designLab of any variations from the dimensions, materials, conditions and contract amount shown by these drawings prior to the execution of any work.
- All sign copy in these drawings should be considered to be representative and is subject to change. Refer to final approved message schedule for final copy on all signs.
- Contractor shall notify designLab of any discrepancies in these documents immediately and shall not proceed or allow sub-fabricators to work in those areas until said discrepancies are resolved.
- Contractor shall submit shop drawings for all sign types including fabrication details, structural details and installation specifications, etc. Shop drawings shall include location plans and a message schedule for all signs. Shop drawings shall be submitted to Owner and designLab for approval prior to fabrication.
- Contractor shall conform to the intent of these drawings and specifications and submit to Owner, Architect and designLab samples for all finishes and materials for approval before commencement of such work.
- Partial or incomplete submittals will be rejected.
- Contractor shall be responsible for all required fees and permits for the fabrication and installation of signs and shall procure these before proceeding with work.
- Contractor shall provide Grade 2 braille on all sign types requiring braille. This braille shall conform to ADA codes and regulations.
- All work shall be done in accordance with applicable codes and to the highest standards of trade practice. All sign components are to be straight, square, and true to one another. All material joints and seams are to be fabricated so that joints and seams are unnoticeable.
- Prior to commencing any work, Contractor who is awarded all or part of fabrication and/or installation shall review with Owner, Architect and designLab the phasing of their work and secure approval from all parties.
- All interior finish and trim materials are to meet Class III flame spread ratings of 76 to 200, as per applicable code.
- Contractor shall warrant that all merchandise is free of defects in material or workmanship and shall provide Owner with a written warranty to replace or repair any merchandise that fails to conform to above for a period of no less than one (1) year from date of final acceptance.
- Contractor shall provide and install adequate blocking for all wall hung and wall supported items except for those items which are hung from items not in contact.
- Contractor shall patch and repair all existing surfaces as required prior to applying new finishes. All openings, voids, or unfinished surfaces created by removal or alteration of existing work shall be closed or patched and finished as necessary to match existing continuous surfaces or new finishes required.
- All hangers, channels, rods and other miscellaneous support steel shall be installed by the Contractor as necessary for the support of suspended equipment (signage) and shall be fastened to the existing structure in such a manner as to not compromise its existing structural integrity or fire rating.
- Contractor shall keep the site work area(s) clear of unnecessary debris and shall keep all work area(s) secured when unattended for the duration of the installation period.
- Contractor shall clean the site of all unnecessary debris and clean all glass, chrome, and any other items before vacating the site and final Owner acceptance.
- The drawings reflect the graphic designer's best efforts to interpret and apply standards established by the Americans with Disabilities Act of 1991 and as set forth by the Equal Opportunities Commission and the Department of Justice. designLab will not be held responsible for the interpretation of ADA Laws by others.

COLORS AND MATERIAL/FINISHES

PROJECT COLORS

P1	Paint	Logo Gray to match Matthews MP03340 Grey Fog, satin
P2	Paint	Dark Gray to match Matthews MP10124 Gloomy Grey, satin
P3	Paint	Red to match Matthews MP12602 Scarlata, satin
P4	Paint	Black to match Matthews MP33764 Black Indigo, satin
P5	Paint	White to match Matthews MP32071 White Wonder, satin
P6	Paint	Blue to match Matthews MP00359 Belize Blue, satin

V1	Vinyl	Black to match 3M Series 220 Black
V2	Vinyl	White to match 3M Series 220 White
V3	Vinyl	Grey to match 3M Series 220 Dark Grey

PROJECT MATERIALS

M1	Material	Painted Acrylic
M2	Material	Aluminum
M3	Material	Vinyl
M4	Material	Thermoform Acrylic

PROJECT TYPE STYLES

Frutiger 55 Roman
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

ADA Tactile Compliant

Frutiger 65 Bold
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890


Trade Gothic Bold
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Trade Gothic Medium
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890


Trade Gothic Light
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890

Optical Compliant

PROJECT SYMBOLS




ISSUE	DATE
REFERENCE SET	02.15.2021




WITH SHEET HANGER CLIP


- Acetate inserts by client
- Print on laser printer, cut to fit - 2 3/8" x 8 1/2"
- Required Font - Helvetica light upper and lower case




Side View




WITHOUT SHEET HANGER CLIP



Side View



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone



Glass installation location requires first surface, opaque white vinyl applied prior to mounting plaque. Plaque applies to vinyl

Fabrication Notes




- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin].
- B** Visible seam
- C** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersize back spacer plate, white
- G** Sheet clip strip/painted acrylic [MP32071 White Wonder, satin] - OPTIONAL FEATURE
- F** Acrylic square painted [Matthews MP12602 Scarlata, satin]

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes


- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone



Glass installation location requires first surface, opaque white vinyl applied prior to mounting plaque. Plaque applies to vinyl



TYPICAL LAYOUT EXAMPLES

Fabrication Notes


- A** 1/8" Thermoform plaque painted [MP32071 White Wonder, satin]. Plaque applied to 1/4" back plate painted [MP32071 White Wonder, satin].
- B** Visible seam
- C** Raised letters all capitals, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- D** Braille painted [MP32071 White Wonder, satin]
- E** 1/16" undersize back spacer plate, white
- G** Acrylic square painted [Matthews MP12602 Scarlata, satin]

Paint Colors


- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes


- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic




Type C Numbering Plaque (storage closets or nested interior rooms)



Side View




Mounting Guidelines (wall)
Sign to mount with foam tape and silicone




Type D Clear View Sheet Holder


Aluminum sheet holder sized for an 8 1/2 x 11" vertical sheet.
Clear acrylic lens face




vertical



Side View



Mounting Guidelines (wall - Hallway side)
As single holders or in multiples
Sign to mount with VHB foam tape and silicone



Mounting Guidelines (E3, D and P)
(Interior wall - Occupant Side)
Sign to mount with VHB foam tape and silicone

Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes


- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



Type E2
All Gender Restroom




Type E3
Mothers Room



Type E1
Sharps Disposal

Sharps Disposal plaque positions above restroom plaque.
1/4" acrylic plaque painted with screen printed text.
1/16" undersize space plate, painted [MP32071 White Wonder, satin]

Note: Provide Sharps signs on the first floor of every building at each public men's restroom, each public women's restroom, and each public All Gender restroom.



Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize space plate, painted [MP32071 White Wonder, satin]
- E** Square graphic painted [Matthews MP12602 Scarlata, satin]
- F** 1/14" acrylic plaque, painted [MP32071 White Wonder, satin]. Copy Screenprints to match [Matthews MP00359 Belize Blue, satin]

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**
- P6** Paint Sharps Sign to match **Matthews MP00359 Belize Blue**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



UH
Type E4
Classroom Information
Plaque

(P2) **B** BASIC INFORMATION (P3) **B** KEY AND VARIABLE INFORMATION

UH PROJECT MANAGER TO VERIFY PHONE NUMBERS PRIOR TO FABRICATION




UH at Sugar Land
UH PROJECT MANAGER TO VERIFY PHONE NUMBERS PRIOR TO FABRICATION



UH at Katy
UH PROJECT MANAGER TO VERIFY PHONE NUMBERS PRIOR TO FABRICATION

Note: Provide "Need Assistance?" signs at 1) general purpose classrooms controlled and scheduled by the University Registrar and 2) classrooms controlled by individual colleges or departments.


For classrooms controlled by colleges and departments, consult with the UH Project Manager to obtain the correct Technology phone number, which will be different from the number for general purpose classrooms.



Type D
Clear View Sheet Holder

Aluminum sheet holder sized for an 8 1/2 x 11" vertical sheet.
Clear acrylic lens face


Note: Provide Type D sheet holders with furniture plan inserts only at classrooms with moveable furniture.



Mounting Guidelines (Typical)
(Interior wall - Occupant Side)

Sign to mount with VHB foam tape and silicone

NOTE : Plaque should NOT be applied to glass side panels when present. Placement should be within close proximity to entry door as space allows.



Mounting Guidelines (E3, D and P)
(Interior wall - Occupant Side)

Sign to mount with VHB foam tape and silicone

Fabrication Notes



- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Digital applied text - Color Match P2 and P3 as indicated
- C** 1/16" Undersize space plate, painted [MP32071 White Wonder, satin]

Paint Colors


- (P1) Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- (P2) Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- (P3) Paint Red to match **Matthews MP12602 Scarlata, satin**
- (P4) Paint Black to match **Matthews MP33764 Black Indigo, satin**
- (P5) Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic




M1
Face Layout - Alt.



M2
Face Layout - Alt.

Note: Provide M2 flag signs in close proximity to fire extinguishers located (1) on the normal path of exit travel in public hallways and (2) in laboratories and workshops. M2 flag signs are generally not necessary in electrical and other rooms.



Fabrication Notes




- A** 1/8" acrylic plaque, painted [MP32071 White Wonder, satin]
- B** Screen printed graphics painted to match indicated colors
- C** 5/8" aluminum channel painted to match [MP33764 Black Indigo, satin]
- D** 1/8" acrylic center panel painted to match [MP12602 Scarlata, satin]
- E** Sign panels placed in channel and held with set screws

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone

University of Houston
Interior Sign Program



Fabrication Notes

- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Screen printed graphics and text [Matthews MP10124 Gloomy Grey, satin]
Matthews MP03340 Grey Fog, satin] [Matthews MP12602 Scarlata, satin]
- C** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]



Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type
G
Elevator Egress
Plaque



Side View



Mounting Guidelines (wall)
Sign to mount with VHB foam tape and silicone

University of Houston
Interior Sign Program



Fabrication Notes

- A** 1/4" acrylic plaque painted [MP32071 White Wonder, satin]
- B** Screen printed graphics and text [Matthews MP10124 Gloomy Grey, satin]
Matthews MP03340 Grey Fog, satin] [Matthews MP12602 Scarlata, satin]
- C** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]


Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type
H
Egress Plaque



Type F
Stairwell / Level Identification Plaque - Stairwell Side

**NOTE: SIGN TYPE F SHALL BE USED IN TWO-STORY BUILDINGS.
FOR BUILDINGS OF THREE OR MORE STORIES, REFER TO SIGN TYPE F1**




Type P
Maximum Occupancy Plaque

**NOTE: SIGN TYPE P IS REQUIRED IN ALL SPACES
RATED FOR FIFTY (50) OR MORE OCCUPANTS**


**PROVIDE ONE SIGN PER SPACE. LOCATE PROMINENTLY
ON OCCUPANT SIDE NEAR AN ENTRY DOOR.**




Type O
Stairwell Identification Plaque - Occupant Side



Mounting Guidelines Type P
(Interior wall - Occupant Side)
Sign to mount with VHB foam tape and silicone



Mounting Guidelines Type O
(Wall - Hallway Side)
Sign to mount with VHB foam tape and silicone



Mounting Guidelines Type F
(Wall - Stairwell side)
Sign to mount with VHB foam tape and silicone

Fabrication Notes





- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin]
- B** Raised letters, graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]
- E** 1/14" acrylic plaque, painted [MP32071 White Wonder, satin]. Copy Screenprints to match Matthews MP10124 Gloomy Grey, satin]

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



NOTE: SIGN TYPE F1 SHALL BE USED IN BUILDINGS OF THREE OR MORE STORIES.
COMPLY WITH NFPA 101, SECTION 7.2.2.5.4.

Fabrication Notes


- A** 1/4" Thermoform plaque painted [MP32071 White Wonder, satin] first surface
- B** Raised letters and graphics painted [Matthews MP10124 Gloomy Grey, satin]
- C** Braille painted [MP32071 White Wonder, satin]
- D** 1/16" undersize spacer plate, painted [MP32071 White Wonder, satin]

Paint Colors


- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes



- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



SIGN FONT FAMILY - FRUTIGER
CHANGEABLE TEXT PANELS - HELVETICA FAMILY



Side View



Mounting Guidelines (wall)
Sign to pin mount with silicone

Fabrication Notes

- A** 1/2" acrylic back panel painted [MP32071 White Wonder, satin]
- B** Header, 1/4" acrylic panel painted [MP32071 White Wonder, satin] digital printed panel mounted to acrylic back panel. text prints to match P2 Matthews MP10124 Gloomy Grey, satin
- C** Footer, 1/4" acrylic panel painted [MP32071 White Wonder, satin] digital printed panel mounted to acrylic back panel. text prints to match
- D** Aluminum channels to house digital inserts - clear anodized finish
- E** Digital produced inserts printed on 3/16" (5mm) white PVC panel - [Sintra] Contractor to provide inserts based on Owner/Architect's message schedule
- G** Painted acrylic sections [Matthews MP12602 Scarlata, satin], White vinyl text


Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type
|
Directory
(Building)



SIGN FONT FAMILY - FRUTIGER
CHANGEABLE TEXT PANEL - HELVETICA FAMILY



University of Houston
Interior Sign Program



Fabrication Notes

- A** 1/2" acrylic back panel painted [MP32071 White Wonder, satin]
- B** Header, 1/4" acrylic panel painted [MP32071 White Wonder, satin]
digital printed panel mounted to acrylic back panel. text prints to match
P2 Matthews MP10124 Gloomy Grey, satin
- C** Acrylic footer band painted [MP33764 Black Indigo, satin]
- D** Aluminum channels to house digital inserts - clear anodized finish
- E** Digital inserts direct print to 3/16" white foam-core
Contractor to provide inserts based on Owner/Architect's message schedule


Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



Sign Type
J
Directory
(Department)




SIGN FONT FAMILY - FRUTIGER 65 BOLD



SAMPLE LAYOUTS



NOTE: INSTALLATION METHOD TO BE DETERMINED BY CEILING TYPE



Fabrication Notes

- A** 1/8" acrylic panels painted [MP32071 White Wonder, satin]. Panels double sided.
- B** 1/4" thick acrylic center panel, edges painted [MP32071 White Wonder, satin]
- C** 1/8" thick acrylic square painted [Matthews MP12602 Scarlata, satin]
- D** Vinyl text, 3M 220 Series Dark Grey
- E** 1/2" aluminum U channel for structure painted [MP32071 White Wonder, satin]
- F** Mounting rod painted [MP32071 White Wonder, satin]

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

Sign Type

L
Wayfinding Panel
(Suspended)

3/4" PLEASE KEEP DOORS CLOSED
A FACULTY ONLY
Hours 8 am to 5 pm

FRUTIGER 65 BOLD

NOTE: REPRESENTATIVE EXAMPLES SHOWN. APPLICATIONS WILL DICTATE SIZE AND COLOR DECISIONS. DEFAULT COLOR WHITE.
GLASS APPLICATIONS TO BE WHITE

University of Houston
Interior Sign Program



Fabrication Notes

A Vinyl applied first surface [3M 220 Series]

Paint Colors

- P1 Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2 Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3 Paint Red to match
Matthews MP12602 Scarlata, satin
- P4 Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5 Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1 Material Painted Acrylic
- M2 Material Aluminum
- M3 Material Vinyl
- M4 Material Thermoform Acrylic

Sign Type
K
Miscellaneous
Vinyl



8" Aluminum LEED Certified building plaque.
Available through greenplaque.com.
Locate plaque in the public lobby of the building.

BRUSHED ALUMINUM PLAQUE - CLEAR COATED
USGBC PROJECT NUMBER REQUIRED TO PURCHASE.


Brushed aluminum plaque machined from solid aluminum sheet stock composed of up to 85% recycled material. Stud-screw mounting and a mounting template is included.

<https://www.greenplaque.com>




Type N

Helvetica Neue Regular 38pt




Mounting Guidelines

Display in the main lobby near entry doors approximately 48" from vestibule.
Location to be confirmed by University Architect.



PA1 - Acrylic

Choice of material and location of sign to be determined in consultation with Public Art of the University of Houston System.
Message to be provided by PAUHS



PA2 - Stainless Steel

Fabrication Notes Type PA1-Acrylic

- A** Acrylic plaque, 3/16" thick, edges gently beveled edges, painted white. P5, [MP32071 White Wonder, satin]
- B** Screen printed text, gray. P2 [MP10124 Gloomy Grey, satin]
- C** Mounts to surface with VHB tape and silicone
- D** Font - Helvetica Neue Bold, Bold Italic Light, Light Italic

Fabrication Notes Type PA2-Stainless Steel

- A** Stainless steel plate, 1/8" thick, etched and infill white Plate finish, light non-directional finish. Eased edges
- B** Pin mount with silicone and VHB tape to surface
- C** Font - Helvetica Neue Bold, Bold Italic Light, Light Italic

Paint Colors


- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic


Sign Type
N LEED Plaque
PA1/PA2
Public Art Plaque

Sheet No.







'Level 1' Donor Room or Area Recognition

Sign Type R1




'Level 2' Donor Room or Area Recognition

Sign Type R2



Tribute or Recognition Plaque


Sign Type R3




Standard Donor Wall

Sign Type R4

Material Palette



Stainless Steel
Non-Directional
Etched and infill



Painted Acrylic
Matthews Acrylic Polyurethane,
satin finish, MP32071 White Wonder
satin finish, MP10124 Gloomy Grey




Cut Aluminum Letters - painted metallic grey [MP18145 Lead Gray Metallic]





Custom Donor Wall
Sign Type R5

COORDINATE SIGN LOCATION AND ACCENT LIGHTING DURING BUILDING DESIGN



INTERIOR SIGN PROGRAM TYPICAL ROOM PLAQUE (TYPE B SHEET 02)

'LEVEL 1' DONOR
RECOGNITION PLAQUE



Mounting Guidelines (wall)
'Level 1' Donor recognition plaque located above standard Type B sign. Sign to mount with VHB foam tape and silicone

Fabrication Notes

- A** 3/16" thick painted acrylic plaque. Plaque painted P2 [MP10124 Gloomy Grey, satin]
- B** Screen printed text, to match white. P5, [MP32071 White Wonder, satin]
- C** Font - Helvetica Neue Regular, Light Italic
- D** Silicone and VHB tape to wall

Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic


3" John and Mary Smith Science Center

SINGLE LINE ARRANGEMENT


M2 C John and Mary Smith Science Center

MULTIPLE LINE ARRANGEMENT


'LEVEL 2' DONOR RECOGNITION CUT LETTERS



'LEVEL 2' DONOR RECOGNITION PLAQUE
INTERIOR SIGN PROGRAM TYPICAL ROOM PLAQUE (TYPE B SHEET 02)




Side View
Plaque



D

Side View
Cut Letters



Mounting Guidelines

LEVEL 2 PLAQUE WITH AREA RECOGNITION CUT LETTERS
Text to be upper and lowercase

Fabrication Notes

- A** ROOM PLAQUE (TYPE B REFERENCE SHEET 02)
- B** Donors name screen printed to match [MP10124 Gloomy Grey, satin]
Font - Helvetica Neue Regular
- C** 3" Cut aluminum letters painted [MP18145 Lead Gray Metallic] or a Gray Metallic for contrast
Font - Helvetica Neue Medium
- D** Pin mount and epoxy to vertical surface - flush to surface


Paint Colors

- P1** Paint Logo Gray to match
Matthews MP03340 Grey Fog, satin
- P2** Paint Dark Gray to match
Matthews MP10124 Gloomy Grey, satin
- P3** Paint Red to match
Matthews MP12602 Scarlata, satin
- P4** Paint Black to match
Matthews MP33764 Black Indigo, satin
- P5** Paint White to match
Matthews MP32071 White Wonder, satin


Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic


ISSUE	DATE
REFERENCE SET	02.15.2021




R3 - Stainless Steel, Landscape (preferred orientation)



R3 - Stainless Steel, Portrait



Side View



Surface Mount

Fabrication Notes


- A** Stainless steel face plate, 1/8" thick, light random brushed finish. Text etched, with white infill. Font - Helvetica Neue Light, Regular, Light Italic
- B** 3/8" acrylic spacer plate, edges painted metallic grey [MP18145 Lead Gray Metallic] Face plate pin mount and epoxy to spacer plate.
- C** Sign unit pin mount and silicone to wall

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic



GRID AND PANEL CONFIGURATIONS ARE CUSTOMIZABLE TO REQUIRED LISTING CATEGORIES AND SPECIFIC NAME LISTINGS. ILLUSTRATIVE EXAMPLE SHOWN

Fabrication Notes

- A** 1/4" acrylic panels with 1/8" square channels between panel. Channels created by spaced application of face panels to backer panel. Panels painted [MP32071 White Wonder, satin]
- B** Header text cut aluminum letters 3/16" thick, painted [MP10124 Gloomy Grey] Font - Helvetica Neue Medium
- C** Donor listings screen printed to match [MP10124 Gloomy Grey] Font - Helvetica Neue Regular
- D** 1/2" acrylic backer panel painted face and edges [MP32071 White Wonder, satin]
- E** Sign unit mounts to wall with studs and silicone

Paint Colors

- P1** Paint Logo Gray to match **Matthews MP03340 Grey Fog, satin**
- P2** Paint Dark Gray to match **Matthews MP10124 Gloomy Grey, satin**
- P3** Paint Red to match **Matthews MP12602 Scarlata, satin**
- P4** Paint Black to match **Matthews MP33764 Black Indigo, satin**
- P5** Paint White to match **Matthews MP32071 White Wonder, satin**

Material/Finishes

- M1** Material Painted Acrylic
- M2** Material Aluminum
- M3** Material Vinyl
- M4** Material Thermoform Acrylic

ISSUE	DATE
REFERENCE SET	02.15.2021

University of Houston
Interior Sign Program



Sign Type
R4
Standard
Donor Wall

Sheet No.

20



1. DESIGN CUSTOM DONOR WALL TO COMPLEMENT INTERIOR ARCHITECTURE
2. COORDINATE SIGN LOCATION AND ACCENT LIGHTING DURING BUILDING DESIGN
3. SUBMIT PROPOSED WALL DESIGN TO UNIVERSITY ARCHITECT AND designLAB FOR REVIEW AND APPROVAL



PAGE INTENTIONALLY LEFT BLANK